# SCC-one Salt Chlorinator

## ONE TOUCH MULTI-FUNCTIONAL CHLORINATOR

For residential and semi-commercial pools









# Product Features



# Automatic Salt Chlorinator with PH Control & Dosing

Salt chlorinated pools are among the best to enjoy and offer comfortable bathing, but such systems tend to raise pH. The Emaux SSC-one takes the guesswork out of adding the chemicals: its dosing pump injects acid to automatically maintain the correct pH level, and its cell takes care of the chlorine production. Programmed automatically and using the best quality of salt, no harmful by-products are produced. One of the most technically advanced and user friendly salt water chlorinators on the market.




Titanium cell with 2 meters cable

### **Product Features**

- 1) Timer for pump and programmable cell control.
- 2) Direct power function.
- 3) Boost button for super chlorination at 100% power for 24 hours.
- 4) Visual pH reading, and easy set-up.
- 5) Capacitive touch buttons control panel.
- 6) Switch reverse polarity at every 4 or 8 or 12 hours to minimise cell scaling depending on water hardness.
- 7) Fully automatic or manual operation
- 8) Winter mode reduces power to 50%.

### **Product Dimensions and Technical Information**



184.80

88380803 SSCone 110-230V / 50-60Hz 2500ppm Up to 50gr/hr Up to 150,000 Liters 1.5" / 50mm or 2" / 63mm

### **Functions**

### 1 A. INNOVATIVE TOUCH PANEL

- Intuitive and visual touch panel with LED indications

359.95

#### **B. INTELLIGENT ALERT**

- No flow detection
- -Low salt alarm
- -Cell life time alarm
- -High heat sink temperature alarm
- -pH dosing error

# 6 000 4000

### 3 POWER

- -Visual and easy reading power output
- -Control the chlorine production -Boost button, sets the system in super chlorination, 100% power for 24 hours

#### TIME

-Easy and intuitive operating system

380

- -Timer for pump and cell programming control
- -Two different schedules per day

### 2 INTUITIVE MODES

-Automatic or manual mode -Switch the polarity according to the water hardness

122

-Winter mode

### 5 PH

- -Visual pH reading, and easy set-up.
- -Two different indications: current pH and set point -Automatic control of the pH dosing pump

## **Accessories**



pH Probe





pH Buffer

### **EMAUX WATER TECHNOLOGY CO., LTD**

ADDRESS G/F 41 TIN HAU TEMPLE ROAD,
NORTH POINT, HONG KONG
PHONE +852 2832 9880
www.emauxgroup.com



### Available from:

Chainaris Phuket Engineering Co., Ltd.

63/13 Moo.2, T.Vichit, A.Muang Phuket 83000

Tel: 076-513100-3 Fax: 076-513105

Line: @chainaris, @chainarisshop

all specifications are subject to change without notice. © 2018 Emaux water technology co., ltd. all rights reserved.

